

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("4906902").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 17:34
L6	128	projector and (drivi\$4 with transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:50
L7	6	(low\$1pass near filter) with parallel with (light\$4 or lamp) with transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:58
L8	67	(low\$1pass near filter) same parallel same (light\$4 or lamp) same transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:58
L9	61	8 not 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:59
L10	1	("4047076").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 18:16
L11	80	((high near frequency) with filter with parallel with transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 18:17
L12	78	11 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 18:17
L13	31	12 and (lamp or light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 18:26

L14	1	("20030039280").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 18:26
S1	938	(315/276).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 20:13
S2	820	S1 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:39
S3	191	(315/192).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 16:06
S4	1192	driving adj (apparatus or circuit\$2) and load\$1 and transformer\$1 and (AC or (alternating adj current)) and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:08
S5	1008	S4 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:23
S6	307	S5 and (illuminat\$3 or EL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:53
S7	969	(low adj pass adj filter) and load\$1 and (transformer or coil\$1 or inductor\$1) and (AC or (alternating adj current)) and impedance and induced	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:56
S8	808	S7 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:56
S9	42	S8 and "315"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:57

S10	1196	(driving adj circuit) and (current with transformer) and (impedance or resistor) and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:18
S11	118	S10 and (low with pass with filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:36
S12	136	(314/32).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 10:37
S13	136	S12 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:44
S14	708	315/57, 315/70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:45
S15	638	315/57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:57
S16	407	315/290	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:57
S17	552	315/289	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 10:57
S18	494	S17 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:18

S19	4396	transformer and filter and "315"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:19
S20	3844	S19 and (impedance or resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:19
S21	3524	S20 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:24
S22	2538	S21 and (AC or (alternating adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:26
S23	379	S22 and (low-pass or (low adj pass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:42
S24	1	("6531833").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 13:51
S25	128	(315/70).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/02 13:51
S26	124	S25 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:59
S27	993	315/276	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:59

S28	766	S27 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:04
S29	1582	(el or electroluminescent) and transformer and (low with pass with filter) and (resistor or impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:05
S30	1546	S29 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:06
S31	971	S30 and (AC or (alternating adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:13
S32	15	S31 and (driving adj circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:49
S33	14	(video adj projector) and transformer and resistor and (low with pass with filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:53
S34	93	(video adj projector) and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:53
S35	38	S34 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:59

S36	49	315/354	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:08
S37	153	323/247	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:08
S38	117	S37 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:17
S39	18	(driving adj circuit) and (coils with coupling) and (electroluminescent or EL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:35
S40	1130	315/248	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:36
S41	917	S40 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:50
S42	28	(EL or electroluminescent) and (low with pass with filter) and "336"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 17:38
S43	87	(video adj projector) and driving and (coupling or tranformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:41

S44	1886	(low adj pass adj filter) and (transformer) and (AC or alternating current) and RC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:44
S45	421	S44 and (EL or electroluminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:45
S46	414	S45 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 11:08
S47	525	(driving adj circuit\$2) and (el or electroluminescent) and (transformer or (coil\$1 with coupling))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 11:09
S48	471	S47 and @pd<"20030313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 11:10
S51	1663	(indicat\$4) and (fluorescen\$3 or discharge or illuminat\$4) and (315/276.ccls. or 315/291.ccls. or 315/244.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:38
S52	969	S51 and load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:39
S53	698	S52 and transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:07

S54	11037	indicat\$4 and (illuminat\$3 or fluorescent or discharge) and (transformer same load) and (AC or (alternating near current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:09
S55	705	S54 and (315/276.ccls. or 315/307.ccls. or 315/291.ccls. or 315/244.ccls. or 315/224.ccls. or 315/219.ccls. or 315/209R.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:10
S56	724	S54 and (315/276.ccls. or 315/307.ccls. or 315/291.ccls. or 315/244.ccls. or 315/224.ccls. or 315/219.ccls. or 315/209R.ccls. or 315/56.ccls. or 315/57.ccls. or 315/58.ccls. or 315/59.ccls. or 315/60.ccls. or 315/61.ccls. or 315/62.ccls. or 315/63.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:12
S57	9	("4348615" "4958107" "5036256" "5051665" "5309065" "5449980" "5572093" "5635800" "6034489").PN. OR ("6531833").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/06 17:43
S58	453	(transformer and load) and (315/78.ccls. or 315/79.ccls. or 315/80.ccls. or 315/81.ccls. or 315/82.ccls. or 315/83.ccls. or 315/88.ccls. or 307/139.ccls. or 307/140.ccls. or 307/141.ccls. or 307/142.ccls. or 307/143.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/06 17:50
S59	98	S58 and (((primary or first) near2 winding) same ((connect\$4 or coupl\$3) with (load or lamp or receiver)))	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/06 18:05
S60	355	S58 not S59	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 17:57
S61	1	("4358712").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/07 18:15
S62	2	(video near projector) same ((electroluminescent or EL) near lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 18:16

S63	27	(video near projector) same ((electroluminescent or EL))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 19:07
S64	141	((electroluminescent or EL) near lamp) same transformer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 19:08
S65	140	S64 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 19:19
S66	8	"6426597"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 19:19
S67	5456	(transformer or rectifier) same project\$4 same light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 20:14
S68	1621	S67 and (EL or electroluminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:20
S69	57	projector same transformer same (EL or electro\$1luminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:38
S70	249	(lamp or light\$3) same (transformer same (low\$1pass near filter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:59

S71	4733	transformer same driv\$4 same (EL or electro\$1luminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:00
S72	294	transformer with driv\$4 with (EL or electro\$1luminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:54